



TOR VM company was established in Moscow in 1999 to develop and manufacture accessories for anatomical restorations. Having a leading position on Russian market of dental reconstruction products and considerable export experience, we are looking for new opportunities to offer our products worldwide under our own label or under private labels. We offer high quality products with competitive prices. Quality management system is in compliance with the requirements of EN ISO 13485:2016. All products are CE marked and FDA registered.

 **Worldwide largest selection of matrix systems**

 **Rubber dam clamps and related instruments**

 **Polishing strips and discs**

 **Permanent research for renewing**

 **Focus on customer needs**



Novatorov str. 7A, Moscow, 119421, Russia
phone +7 495 225 54 17, e-mail: torvm77@gmail.com
www.torvm.ru

LIST OF CONTENTS

4	RUBBER DAM CLAMPS
5	RUBBER DAM ACCESSORIES
6	PROXICUT SYSTEMS
8	METAL CONTOURED MATRICES
9	METAL CONTOURED MATRICES COMBINED WITH CLAMP
10	SADDLE MATRICES
12	PONY CONTOURED METAL MATRICES
13	PERFORATED METAL MATRICES
14	SECTIONAL CONTOURED METAL MATRICES
15	ACCESSORIES FOR INSTALLATION OF SECTIONAL MATRICES
17	LUG MATRICES
17	PLIERS
17	PROXIMAL ANTERIOR STRIPS
18	METAL MATRIX BANDS, METAL STRIPS, STRIPROLLS
18	COMBINED (PLASTIC / METAL) MATRICES
19	PERFORATED PROPHYLACTIC METAL STRIPS, LOOP MATRICES
19	COTTON ROLL HOLDER
19	RETRACTORS
20	FIXING WOODEN WEDGES
21	FIXING TRANSPARENT PLASTIC WEDGES
21	FIXING NON-TRANSPARENT PLASTIC WEDGES
22	ELASTIC WEDGES, ADD-ON WEDGES AND TUBES
22	CONTACT & SHAPE FORMERS
23	TRANSPARENT SECTIONAL CONTOURED MATRICES
23	SELF-ADHESIVE TRANSPARENT CONTOURED MATRICES
24	TRANSPARENT CONTOURED MATRICES
25	TRANSPARENT CONTOURED MATRICES COMBINED WITH CLAMP
26	TRANSPARENT CROWNS
28	TRANSPARENT STRIPS, STRIPROLLS, STOPSTRIPS
28	TRANSPARENT CERVICAL MATRIX SYSTEM
29	POLISHING STRIPS
29	FINISHING AND POLISHING KITS
30	STEM POLISHING DISCS AND MANDRELS
31	POLISHING DISCS AND MANDRELS

Rubber Dam Clamps

Brinker Clamps (tissue retractors)



№ B1



№ B3



№ B5



№ B2



№ B4



№ B6

Wingless Clamps



№ W9



№ 212



№ W2



№ W2A



№ W3



№ W7



№ W8A



№ W56



№ 138



№ 139



№ 24



№ 25

Winged Clamps



№ 9



№ 210



№ 2



№ 2A



№ 0



№ 00



№ 7



№ 8A



№ 8



№ 12A



№ 13A



№ 14A


Clamps are produced from high-quality stainless steel with perfect shape memory

Brinker clamps provide maximum retraction without laceration of gingival tissues.

Shape of «jaws» of Brinker clamps corresponds to the shape of dental root.


There are winged and wingless clamps

Operating Positions



Recommendation for clamp application

tooth	11,12,13 21,22,23	14,15 24,25	16,17,18	26,27,28	31,32,33 41,42,43	34 44	35 45	36,37,38	46,47,48
clamp	9 W9 210 212	0 00 2 W2 2A W2A	W3 W7 8 8A W8A 13A 14A 25 138	W3 W7 8 8A W8A 12A 14A 24 139	9 W9 210 212	0 00 2 W2 2A W2A	0 00 2 W2 2A W2A	W3 7 W7 8 8A W8A 13A 14A W56 25 138	W3 7 W7 8 8A W8A 12A 14A W56 24 139



Rubber Dam Accessories



No 3.993 Forceps
1 pc.



No 3.909 Clamp organizer
(for 9 clamps), 1 pc.



No 3.912 Clamp organizer
(for 12 clamps), 1 pc.

NEW



No 3.910 Clamp organizer
(for 10 clamps), 1 pc.

NEW



No 3.918 Clamp organizer
(for 18 clamps), 1 pc.

NEW



No 3.401A Deciduous Rubber dam frame,
97x72 mm,
1 pc.



No 3.401 Rubber dam frame, 93x91 mm,
1 pc.



No 3.401B Rubber dam frame, 93x91 mm,
with floss retainers,
1 pc.

No 3.402 Rubber dam frame, 103x97 mm,
1 pc.

No 3.402B Rubber dam frame, 103x97 mm,
with floss retainers,
1 pc.

No 3.403 Rubber dam frame, 128x125 mm,
1 pc.

No 3.403B Rubber dam frame, 128x125 mm,
with floss retainers,
1 pc.

Floss retainer

Forceps are produced from high-quality stainless steel.


Forceps are convenient in work and provide reliable clamp keeping.

Frame-stopper is moved freely along forceps handles and decreases operating load upon clamp installation.



Pin for clamp mounting has 3 seat diameters providing reliable retention of a clamp without excessive clamp opening.

**Clamp organizers
No 3.910 and No 3.918
operating position**



Proxicut Systems

Proxicut system is intended

- to remove excess of filling material from interproximal areas,
- for tooth separation upon veneer fixation.


The system includes proxicut saw blades, proxicut diamond strips of 3 abrasiveness types and proxicut holders of 2 types.

Do-All Proxicut System **NEW**



№ 1.384(1)

Proxicut Saw Blades,
0,05 mm thick, 30 mm long, 12 pcs.



№ 1.385K(1)

Proxicut Diamond Strips, coarse,
30 mm long, 12 pcs.



№ 1.385C(1)

Proxicut Diamond Strips, medium,
30 mm long, 12 pcs.



№ 1.385M(1)

Proxicut Diamond Strips, fine,
30 mm long, 12 pcs.



№ 1.369 Do-All Proxicut Holder*
(holder with key**) 1 pc.

* Holder can be operated by itself or with handles №№ 1.107, 1.109 or any other handpiece of EVE type providing to-and-fro motion.

**The key can be supplied in 2 different shapes (see www.torvm.ru)

Do-All Proxicut Kits **NEW**



№ 1.369KT Do-All Proxicut Kit

holder with key** - 1 pc.,
handle № 1.109 - 1 pc.

**The key can be supplied in 2 different shapes (see www.torvm.ru)



№ 1.370 Do-All Proxicut System

saw blades - 12 pcs.,
coarse diamond strips - 12 pcs.,
medium diamond strips - 12 pcs.,
fine diamond strips - 12 pcs.,
holder with key** - 1 pc.,
handle № 1.109 - 1 pc.

**The key can be supplied in 2 different shapes (see www.torvm.ru)

Handles for Proxicut Holders



NEW


№ 1.107 Handle, 1 pc.

№ 1.109 Handle, 1 pc.

How to operate do-all proxicut system

holder № 1.369 & blade (strip)


1) Rotate screw handle **1** to move legs of the holder so that the distance between outer sides of holder legs becomes equal to the length of the blade (strip)



2) Insert the blade (strip) in grips **2** of the holder legs and tighten grips with key **3**




3) Rotate screw handle **1** to tighten the blade (strip) between holder legs



4) Insert firmly pin **4** of the holder in handle

Handle № 1.107 - operating positions

Required operating position is provided by rotating of front edge of the handle **№ 1.107** (7 positions are possible - -90° , -60° , -30° , 0° , $+30^\circ$, $+60^\circ$ and $+90^\circ$ to handle axis)



Handle № 1.109 - operating positions

Required operating position is provided by placing the holder into different holes of the handle **№ 1.109**



Proxicut System



№ 1.384(2)

Proxicut Saw Blades,
0,05 mm thick, 32 mm long, 12 pcs.



№ 1.385K(2)

Proxicut Diamond Strips, coarse,
32 mm long, 12 pcs.



№ 1.385C(2)

Proxicut Diamond Strips, medium,
32 mm long, 12 pcs.



№ 1.385M(2)

Proxicut Diamond Strips, fine,
32 mm long, 12 pcs.



№ 1.389

Proxicut Holder
1 pc.



Strip Holders **NEW**

Double slot system allows to fixate both metal and plastic strips with abrasive and/or smooth surfaces



№ 1.105

Anterior Strip Holder
1 pc.




№ 1.106

Posterior Strip Holder
1 pc.

How to operate proxicut system
holder № 1.389 & strip № 1.385(2)

Insert finger at leg **1** of the holder into the hole of strip (blade) **4**, bend strip **4** around leg **1** providing the finger being in the hole of the strip **4**



Bend strip **4** around leg **2** of the holder, put hole of strip **4** on the finger of leg **2** of the holder




Rotate screw handle **3** of the holder to tighten up the strip **4** between legs **1** and **2** of the holder




Remove excess filling material by rocking motion of the blade (or strip) **4** within inter-proximal space

Tines of strip holders
№ 1.105 & № 1.106




Strip fixation in holder № 1.105




Choose appropriate distance between holder tines by rotating holder screw handle with key

Insert the strip into the slots of holder tines:
metal strips - scheme A,
plastic strips - scheme B

Tighten the strip by rotating holder screw handle with key



Strip fixation in holder № 1.106




Press tines closer as shown in the figure above

Insert the strip into the slots of holder tines:
metal strips - scheme A,
plastic strips - scheme B


System is ready for use



Metal strip fixation



Plastic strip fixation



Metal Contoured Matrices

All matrices are available of two thicknesses 0.050 mm and 0.035 mm. When ordering please specify the necessary type, e.g. №1.501(0.035 mm) or №1.517(0.050 mm).



For Premolars

№ 1.501 Matrices for Premolars without ledge, matrix width 5 mm 12 pcs.



№ 1.502 Matrices for Premolars bilateral 12 pcs.



№ 1.506 Matrices for Premolars bilateral 12 pcs.



№ 1.503 Matrices for Premolars left ledge 12 pcs.



№ 1.504 Matrices for Premolars right ledge 12 pcs.



№ 1.505 Matrices for Premolars one central ledge 12 pcs.



For Molars

№ 1.511 Matrices for Molars without ledge, matrix width 7 mm 12 pcs.



№ 1.517 Matrices for Molars without ledge, matrix width 6 mm 12 pcs.



№ 1.512 Matrices for Molars bilateral 12 pcs.



№ 1.513 Matrices for Molars left ledge 12 pcs.



№ 1.514 Matrices for Molars right ledge 12 pcs.



№ 1.515 Matrices for Molars one central ledge 12 pcs.



- Anatomically pre-shaped
- Six shapes for molars and premolars
- Provide perfect approximal form and contact
- Stainless steel

Operating position



with Nustrem retainer

Shapes of bilateral matrices



Matrices can be installed with

Tofflemire or Nustrem retainer



Supermat system



Slot ring (page 9)



Slot springclip (page 9)



Matrices №№ 1.501, 1.505, 1.506, 1.511, 1.515, 1.517 are mainly to be used with Tofflemire retainer.

In some cases to fit Supermat system the matrix edges should be shortened.



№ 1.500+ Contoured Metal Matrices for Premolars
30 pcs.:
№ 1.501 6 pcs.
№ 1.502 6 pcs.
№ 1.503 6 pcs.
№ 1.504 6 pcs.
№ 1.505 6 pcs.



№ 1.510+ Contoured Metal Matrices for Molars
30 pcs.:
№ 1.511 6 pcs.
№ 1.512 6 pcs.
№ 1.513 6 pcs.
№ 1.514 6 pcs.
№ 1.515 6 pcs.

Metal Contoured Matrices Combined with Clamp

All matrices are 0.035 mm thick.



For Premolars

№ 1.541

Matrices for Premolars
one central ledge
10 pcs.



№ 1.542

Matrices for Premolars
bilateral
10 pcs.



№ 1.543

Matrices for Premolars
left ledge
10 pcs.



№ 1.544

Matrices for Premolars
right ledge
10 pcs.



№ 1.545

Matrices for Premolars
without ledge
10 pcs.



№ 1.549

Matrices for Premolars
left ledge + right ledge
10 pcs. (5 pcs. + 5 pcs.)



№ 1.540

Contoured Metal Matrices Combined with Clamp for Premolars
16 pcs.:

№ 1.541 3 pcs.
№ 1.542 3 pcs.
№ 1.543 3 pcs.
№ 1.544 3 pcs.
№ 1.545 4 pcs.



№ 1.560



Contoured Metal Matrices Combined with Clamp for Premolars & Molars
without ledge 10 pcs.
(5 pcs. for premolars & 5 pcs. for molars)



For Molars

№ 1.551

Matrices for Molars
one central ledge
10 pcs.



№ 1.552

Matrices for Molars
bilateral
10 pcs.



№ 1.553

Matrices for Molars
left ledge
10 pcs.



№ 1.554

Matrices for Molars
right ledge
10 pcs.



№ 1.555

Matrices for Molars
without ledge
10 pcs.



№ 1.559

Matrices for Molars
left ledge + right ledge
10 pcs. (5 pcs. + 5 pcs.)



№ 1.550

Contoured Metal Matrices Combined with Clamp for Molars
16 pcs.:

№ 1.551 3 pcs.
№ 1.552 3 pcs.
№ 1.553 3 pcs.
№ 1.554 3 pcs.
№ 1.555 4 pcs.

- Three dimensional anatomic shape
- The ideal approximal contact
- Tight fitting within a few seconds
- Five shapes of premolar & five shapes of molar matrices
- Stainless steel

No matrix retainer required

How to operate

Install matrix on tooth and press metal clamp



Ready for restoration



Matrix assembled with fixing wedges and rings №1.099 (page 16)



Operating position



Saddle Matrices

Edges of saddle matrices are performed as cylinder-shape tubes where tines of ring or springclip are inserted upon matrix installation.

Saddle Matrices (Flat)



All matrices are available of three shapes and two thicknesses (0.050 mm and 0.035 mm). Specify please the necessary type, for example if you need small saddle matrices of shape 2 and thickness 0.035 mm order please - №1.301(2)(0.035 mm).

	Small Matrices 12 pcs. per box	Medium Matrices 12 pcs. per box	Large Matrices 12 pcs. per box
Standard shape	 № 1.301(1)	 № 1.302(1)	 № 1.303(1)
Shape with flexible central part*	 № 1.301(2)	 № 1.302(2)	 № 1.303(2)
Shape with enlarged undergingiva ledge	 № 1.301(3)	 № 1.302(3)	 № 1.303(3)

* Width of matrix band between central part and edges of matrices of shape 2 is lower compared to shape 1 matrices, that makes central part of shape 2 matrix more labile.

Saddle Contoured Matrices



All matrices are available of three shapes and two thicknesses (0.050 mm and 0.035 mm). Specify please the necessary type for example if you need medium saddle contoured matrices of shape 1 and thickness 0.050 mm order please - №1.312(1)(0.050 mm).

	Small Matrices 12 pcs. per box	Medium Matrices 12 pcs. per box	Large Matrices 12 pcs. per box
Standard shape	 № 1.311(1)	 № 1.312(1)	 № 1.313(1)
Shape with flexible central part*	 № 1.311(2)	 № 1.312(2)	 № 1.313(2)
Shape with enlarged undergingiva ledge	 № 1.311(3)	 № 1.312(3)	 № 1.313(3)

* Width of matrix band between central part and edges of matrices of shape 2 is lower compared to shape 1 matrices, that makes central part of shape 2 matrix more labile.

- Easy-to-use matrix system
- Optimal approximal contact without difficulties
- Three lengths
- Stainless steel

How to operate - please see

https://youtu.be/tEZwBxC_WMQ

Important!

To provide perfect contact choose appropriate matrix length



incorrect



correct



incorrect

Saddle matrices operating positions

Springclip № 1.003



Ring № 1.033



Ring № 1.033
simultaneous restoration of 2 teeth



Springclip № 1.005





- № 1.310 Saddle Metal Matrices**
Kit with Springclip
matrices* 18 pcs.:
№ 1.311(1) 6 pcs.
№ 1.312(1) 6 pcs.
№ 1.313(1) 6 pcs.
springclip № 1.003 1 pc.

*Can be supplied in minipack (see www.torvm.ru)



- № 1.320 Saddle Metal Matrices**
Kit with Ring
matrices* 18 pcs.:
№ 1.311(1) 6 pcs.
№ 1.312(1) 6 pcs.
№ 1.313(1) 6 pcs.
ring № 1.033 1 pc.

*Can be supplied in minipack (see www.torvm.ru)



- № 1.330 Saddle Metal Matrices Universal Kit**
matrices 36 pcs.
springclip 1 pc.

№ 1.311(1) 6 pcs.	small springclip № 1.003 1 pc.	№ 1.311(2) 2 pcs. № 1.311(3) 1 pc.
№ 1.312(1) 6 pcs.		№ 1.312(2) 2 pcs. № 1.312(3) 1 pc.
№ 1.313(1) 6 pcs.		№ 1.313(2) 2 pcs. № 1.313(3) 1 pc.
№ 1.301(1) 3 pcs.	№ 1.302(1) 3 pcs.	№ 1.303(1) 3 pcs.

Installation of saddle matrix with springclip № 1.003

1. Insert tines of springclip outside the patient mouth into the matrix side tubes



2. Press springclip holders with matrix and install matrix onto the tooth



Matrices can be installed on distal and on mesial tooth surface



Accessories for Installation of Saddle Matrices



- № 1.033 Ring**
1 pc.



- № 1.033c Ring with Silicone Safety Cover***
1 pc.
*Dry-heat sterilization



- № 1.033A Ring**
1 pc.

Ring № 1.033A has the same construction of tines as standard ring № 1.033 for saddle matrices. Addition of extra loop on the ring makes it more flexible and allows to operate in wider range of openings without increase of residual distance between tines after use.



- № 1.003 Springclip**
small
1 pc.



- № 1.005 Springclip**
large
1 pc.

More tight than № 1.003



Tines of rings & springclips are narrowed

Installation of saddle matrix with ring № 1.033

1. Insert tines of the ring into the matrix side tubes



2. Open the ring assembled with saddle matrix via forceps № 1.099-1 (page 15) or via standard rubber dam clamp forceps and install matrix onto the tooth



WARNING!!!

When operating with ring:

- 1) make sure of integrity of the ring and absence of rust on it;
- 2) avoid high-speed opening;
- 3) open the ring for width not more than 10 - 12 mm;
- 4) open the ring for necessary width outside the mouth before placing it on a tooth.

When sterilizing:

- 1) Do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
- 2) Do not keep instruments in liquid medium for more than 3 hours.


- Anatomically pre-shaped
- Provide perfect approximal form and contact
- Have intermediate length between contoured matrices (see page 8) and sectional matrices (page 14)
- Stainless steel

Slot Springclip



Tines of Slot Springclip

Pony matrix insertion into the slots of the springclip



Installation with Slot springclip

Insert matrix into the slots of springclip (standard catching is shown)



Fix the matrix loop length and install the system onto the tooth



Distal surface restoration



Mesial surface restoration



Pony Metal Contoured Matrices



All matrices are available of two thicknesses 0.050 mm and 0.035 mm. When ordering please specify the necessary type, e.g. №1.341(0.035 mm).



№ 1.341 Pony Matrices. Small with Ledge
12 pcs.



№ 1.342 Pony Matrices. Small
12 pcs.



№ 1.343 Pony Matrices. Large
12 pcs.



№ 1.344 Pony Matrices. Large with Ledge
12 pcs.

Accessories for Installation of Pony Matrices



№ 1.004 Slot Springclip
1 pc.



№ 1.044 Slot Ring
1 pc.

WARNING!!!

When operating with ring:

- 1) make sure of integrity of the ring and absence of rust on it;
- 2) avoid high-speed opening;
- 3) open the ring for width not more than 10-12 mm;
- 4) open the ring for necessary width outside the mouth before placing it on a tooth

When sterilizing:

- 1) Do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
- 2) Do not keep instruments in liquid medium for more than 3 hours.

Slot springclip and Slot ring can be used for fixation of any matrix of appropriate length (e.g. metal contoured matrices - page 8 of the Catalogue) or matrix bands (page 18). When fixing matrices different from Pony matrices, please, be sure that the width of matrix wings is less than slot height, cut the wings to fit slot height if necessary.



№ 1.340 Pony Matrices. Kit with Slot Springclip
matrices 24 pcs.:

№ 1.341 6 pcs.
№ 1.342 6 pcs.
№ 1.343 6 pcs.
№ 1.344 6 pcs.
slot springclip № 1.004 1 pc.



№ 1.350 Pony Matrices. Kit with Slot Ring
matrices 24 pcs.:

№ 1.341 6 pcs.
№ 1.342 6 pcs.
№ 1.343 6 pcs.
№ 1.344 6 pcs.
slot ring № 1.044 1 pc.

Possible modes of installation


- like sectional matrices (pages 14-15)
- with Slot ring
- with Slot springclip

Slot Ring



Tines of Slot Ring

Pony matrix insertion into the slots of the ring



Installation with Slot ring

Open the ring with matrix via forceps №1.099-1 (page 15) or via standard rubber dam clamp forceps and insert matrix into the slots of ring № 1.044



Install the system onto the tooth



Distal surface restoration



Mesial surface restoration



Perforated Metal Matrices

Thickness 0.05 mm

Perforated Metal Matrices (Flat)



№ 1.331(1) Perforated Metal Matrices.
Small with Ledge 12 pcs.



№ 1.331(2) Perforated Metal Matrices.
Small 12 pcs.



№ 1.331(3) Perforated Metal Matrices.
Medium with Ledge 12 pcs.



№ 1.331(4) Perforated Metal Matrices.
Large with Ledge 12 pcs.



№ 1.331(5) Perforated Metal Matrices.
Extralarge with Ledge 12 pcs.

Perforated Contoured Metal Matrices



№ 1.531(1) Perforated Metal Matrices.
Small with Ledge 12 pcs.



№ 1.531(2) Perforated Metal Matrices.
Small 12 pcs.



№ 1.531(3) Perforated Metal Matrices.
Medium with Ledge 12 pcs.



№ 1.531(4) Perforated Metal Matrices.
Large with Ledge 12 pcs.



№ 1.531(5) Perforated Metal Matrices.
Extralarge with Ledge 12 pcs.

Accessories for Installation of Perforated Matrices



№ 1.022 Ring
1 pc.



№ 1.002 Springclip
1 pc.



**Tines of
ring &
springclip
are
pointed**

Perforated matrices Installation modes

Ivory retainer



Ring № 1.022



Springclip № 1.002



WARNING!!!

When operating with ring:

- 1) make sure of integrity of the ring and absence of rust on it;
- 2) avoid high-speed opening;
- 3) open the ring for width not more than 10 - 12 mm;
- 4) open the ring for necessary width outside the mouth before placing it on a tooth.

When sterilizing:

- 1) Do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
- 2) Do not keep instruments in liquid medium for more than 3 hours.

Sectional Contoured Metal Matrices

All matrices are available of 4 types

- ☐ 0.050 mm, hard
- ☐ 0.035 mm, hard
- ☐ 0.050 mm, soft
- ☐ 0.035 mm, soft

Specify please the necessary type, e.g. № 1.098(0.050 mm, soft).

There are two variants of kiting of matrices of one shape - per 10 or per 50 pcs.
When ordering kit with matrices of one shape specify please the necessary kiting variant and type, e.g. № 1.0971(10) (0.035 mm, hard) or № 1.0976(50) (0.050 mm, soft).



Sectional Contoured Matrices. Small with Ledge

№ 1.0971(10) 10 pcs.

№ 1.0971(50) 50 pcs.



Sectional Contoured Matrices. Small

№ 1.0972(10) 10 pcs.

№ 1.0972(50) 50 pcs.



Sectional Contoured Matrices. Large

№ 1.0973(10) 10 pcs.

№ 1.0973(50) 50 pcs.



Sectional Contoured Matrices. Large with Ledge

№ 1.0974(10) 10 pcs.

№ 1.0974(50) 50 pcs.



Sectional Contoured Matrices. Medium with Ledge

№ 1.0975(10) 10 pcs.

№ 1.0975(50) 50 pcs.



Sectional Contoured Matrices. Medium

№ 1.0976(10) 10 pcs.

№ 1.0976(50) 50 pcs.



№ 1.1972 Kit of Small Matrices 4 types

30 pcs.:

№ 1.0972(0.050 mm, hard) 10 pcs.

№ 1.0972(0.035 mm, hard) 10 pcs.

№ 1.0972(0.050 mm, soft) 5 pcs.

№ 1.0972(0.035 mm, soft) 5 pcs.



№ 1.1976 Kit of Medium Matrices 4 types

30 pcs.:

№ 1.0976(0.050 mm, hard) 10 pcs.

№ 1.0976(0.035 mm, hard) 10 pcs.

№ 1.0976(0.050 mm, soft) 5 pcs.

№ 1.0976(0.035 mm, soft) 5 pcs.



№ 1.1973 Kit of Large Matrices 4 types

30 pcs.:

№ 1.0973(0.050 mm, hard) 10 pcs.

№ 1.0973(0.035 mm, hard) 10 pcs.

№ 1.0973(0.050 mm, soft) 5 pcs.

№ 1.0973(0.035 mm, soft) 5 pcs.

- Anatomically pre-shaped
- Provide tight anatomical contact
- Stainless steel

Matrices of 0.035 mm thickness are more effective for restoration of small decays.

Matrices of 0.05 mm thickness are intended for restoration of large decays in subgingival area. Such matrices retain the shape well.

Kits № 1.1972, 1.1973, 1.1976 are intended for advanced users of sectional systems or for dentists who desire to test the difference between hard and soft matrices.


Hard matrices are easy to install.

Soft matrices are easily adapted for contact point formation.

Clinical case



Operating positions





№ 1.198 Starting Kit of Sectional Contoured Matrices
matrices 30 pcs.:

№ 1.0971	3 pcs.
№ 1.0972	10 pcs.
№ 1.0973	5 pcs.
№ 1.0974	3 pcs.
№ 1.0975	4 pcs.
№ 1.0976	5 pcs.
ring № 1.099(5)	1 pc.



№ 1.298 Advanced Kit of Sectional Contoured Matrices
matrices 50 pcs.:

№ 1.0971	5 pcs.
№ 1.0972	15 pcs.
№ 1.0973	10 pcs.
№ 1.0974	5 pcs.
№ 1.0975	5 pcs.
№ 1.0976	10 pcs.
ring № 1.099(5)	1 pc.



№ 1.398 Universal Kit of Sectional Contoured Matrices
matrices 100 pcs.:

№ 1.0971	10 pcs.
№ 1.0972	20 pcs.
№ 1.0973	20 pcs.
№ 1.0974	10 pcs.
№ 1.0975	10 pcs.
№ 1.0976	30 pcs.
ring № 1.099(5)	1 pc.
Delta ring № 1.299	1 pc.

Installation with ring

Install matrix (preferably wide side down to gingiva) and wedge



Open the ring using forceps



Put the ring on the tooth and perform restoration



The matrix can be installed on mesial (see above) and on distal surface (see below)



Accessories for Installation of Sectional Matrices



№ 1.009 Springclip
1 pc.



№ 1.099-1 Forceps
1 pc.



№ 1.099-2 Forceps with Stoppers
1 pc.

Forceps № 1.099-2 have special stoppers, that allows to use them also for installation of Elastic wedges (page 22).



№ 1.099-3 Forceps
1 pc.



tines of forceps 1.099-1



tines of forceps 1.099-2



tines of forceps 1.099-3

Installation with springclip



Simultaneous installation of sectional and saddle matrices (pages 10-11)



Accessories for Installation of Sectional Matrices

Rings




№ 1.099(5) Standard Ring,
tines height - 5 mm,
1 pc.

Tines of ring
№ 1.099



Scheme on tooth



№ 1.099(4) Low Ring,
tines height - 4 mm,
1 pc.

№ 1.099(6) High Ring,
tines height - 6 mm,
1 pc.

№ 1.399 Set of Rings, 3 pcs.

№ 1.099(5) - 1 pc.
№ 1.099(4) - 1 pc.
№ 1.099(6) - 1 pc.

WARNING!!!

When operating with ring:

- 1) make sure of integrity of the ring and absence of rust on it;
- 2) avoid high-speed opening;
- 3) open the ring for width not more than 10-12 mm;
- 4) open the ring for necessary width outside the mouth before placing it on a tooth.

When sterilizing:

- 1) do not use cleaning agents with high percentage of chlorine and cleaners containing oxalic acid;
- 2) do not keep instruments in liquid medium for more than 3 hours.

№ 1.099c Standard Ring with Silicone Safety Cover*
tines height - 5 mm, 1 pc.

*Dry-heat sterilization

№ 1.099A Ring, tines height - 5 mm, 1 pc.


Ring № 1.099A has the same construction of tines as standard ring № 1.099 for sectional matrices. Addition of extra loop on the ring makes it more flexible and allows to operate in wider range of openings without increase of residual distance between tines after use.

№ 1.199 Flat Ring, 1 pc.

Tines of ring
№1.199



Scheme on tooth




№ 1.299 Delta Ring, 1 pc.

Double tines of Delta ring are suitable for installation of fixing wedges and add-on wedges (page 22)

Tines of ring
№1.299



Scheme on tooth




№ 1.167 MD-Ring, 1 pc.

Tines of MD-ring provide the most non-fluctuating placement with sufficient space for wedge

Tines of ring
№ 1.167



Scheme on tooth




№ 1.166 D-Ring, 1 pc.

Tines of D-ring are curved inwards to fix matrix on distal side of the tooth

Tines of ring
№ 1.166



Scheme on tooth




№ 1.177 M-Ring, 1 pc.

Tines of M-ring are curved out to fix matrix on mesial side of the tooth

Tines of ring
№ 1.177



Scheme on tooth



Clinical cases with rings with different length of tines



Clinical cases with MD ring (№ 1.167)



Simultaneous installation of saddle and sectional matrices (pages 10-11 & 14-15)



Lug Matrices **NEW**

Lugs allow to tighten matrix to adjacent tooth in any of three directions.

All matrices are available of two thicknesses 0.050 mm and 0.035 mm.
When ordering please specify the necessary type, e.g. №1.351(1)(0.035 mm).



№ 1.351(1) Lug Matrices
4,5 mm, 12 pcs.



№ 1.352(1) Lug Matrices
5,5 mm, 12 pcs.



№ 1.353(1) Lug Matrices
6,5 mm, 12 pcs.

№ 1.348 Lug Matrices
18 pcs.:
№ 1.351(1) 6 pcs.
№ 1.352(1) 6 pcs.
№ 1.353(1) 6 pcs.

№ 1.358 Lug Matrices
18 pcs.:
№ 1.351(1) 6 pcs.
№ 1.352(1) 6 pcs.
№ 1.353(1) 6 pcs.
MD-ring № 1.167 1 pc.

Matrix Pliers **NEW**



№ 1.154 Linear Plier (L-Plier)
1 pc.



№ 1.164 Cross Plier (C-Plier)
1 pc.



Proximal Anterior Strips

Proximal anterior strips can be used upon restoration of proximal surfaces of anteriors



NEW



№ 1.387A Proximal Anterior Strips
5 mm, 12 pcs.

№ 1.387 Proximal Anterior Strips
7 mm, 12 pcs.

№ 1.388 Proximal Anterior Strips
9 mm, 12 pcs.

Twin Anterior Matrices **NEW**

Twin anterior matrices provide perfect restoration of both interproximal and cervical surfaces of anteriors



№ 1.523 Twin Anterior Matrices
12 pcs.

- Anatomically pre-shaped
- Adjustable contact point
- Stainless steel



№ 1.351(1) H = 4,5 mm
№ 1.352(1) H = 5,5 mm
№ 1.353(1) H = 6,5 mm

Operating Positions



Matrix pliers - operating positions



Proximal anterior strips: operating position



It is recommended to install anterior strip vertically and then press the handhold of the strip forcing its working part to the adjacent tooth.

Proximal anterior strips: clinical cases



Twin anterior matrices: operating position




Metal Matrix Bands

All matrices (except №№1.380 & 1.381) are available in two thicknesses 0.050 mm and 0.035 mm. Specify please the necessary type, e.g. № 1.0931(0.035 mm), or № 1.390(0.050 mm).



For Premolars (scale 1:2)



№ 1.0930 12 pcs.


№ 1.0932 12 pcs.

№ 1.0933 12 pcs.

№ 1.0935 12 pcs.



For Molars (scale 1:2)



№ 1.0931 12 pcs.

№ 1.1937 12 pcs.

№ 1.1932 12 pcs.

№ 1.1933 12 pcs.

№ 1.1935 12 pcs.



№ 1.380 **Matrix Bands 6 mm wide**
100 mm in length, thickness 0,035 mm, 12 pcs.



№ 1.381 **Matrix Bands 7 mm wide**
100 mm in length, thickness 0,035 mm, 12 pcs.

Metal Strips and Striprolls

Metal strips are recommended to be used as protective plates of adjacent teeth from accidental bur contact.



№ 1.382 **Metal Strips 0.06 mm thick,**
6 mm wide, 50 mm long, 100 pcs.



№ 1.383 **Metal Strips 0.09 mm thick,**
6 mm wide, 50 mm long, 100 pcs.



№ 1.390 **Striproll 6 mm wide,**
3 m in length (round box Ø 32 mm)

№ 1.391 **Striproll 7 mm wide,**
3 m in length (round box Ø 32 mm)



№ 1.392 **Striproll 6 mm wide,**
3 m in length (squared box 50x50 mm)

№ 1.393 **Striproll 7 mm wide,**
3 m in length (squared box 50x50 mm)

Plastic-Metal Combined Matrix Bands



For Premolars (scale 1:2)



№ 1.034 12 pcs.

For Molars (scale 1:2)



№ 1.134 12 pcs.

Width of matrix working part

№ 1.0930 - 5 mm

№ 1.1937 - 6 mm

№ 1.0931 - 7 mm

Matrices are installed by the same methods as metal contoured matrices (page 8)



Striprolls of alternative lengths and widths can be supplied upon special request.

Half metal / half plastic.

Metal part simplifies matrix penetration through a tight contact point.

Perforated Prophylactic Metal Strips



- № 1.386 Metal Strips for Tartar Removal with Flat Edge** 12 pcs.
4 mm wide,
100 mm in length,
0.05 mm thick

Perforated prophylactic metal strips are recommended for tartar removal.



Flat edge simplifies matrix penetration through a tight contact point.



Loop Matrices

Construction of loop matrices provides simplicity of loop length regulation in accordance to tooth size.

Loop matrices are installed without retainer. Mainly to be used for protection of adjacent tooth against bur upon cavity preparation.





- № 1.595 Loop Matrices,**
height 5 mm,
6 pcs.




- № 1.597 Loop Matrices,**
height 7 mm,
6 pcs.

Loop matrix: how to operate

Regulate the loop size corresponding to the tooth size



Install loop matrix onto the tooth and tighten matrix end up to complete embracing of the tooth



Cotton Roll Holder



- № 1.010 Cotton Roll Holder**
1 pc.

Retractors



- № 1.019 Cheek & tongue retractor**
(with screw joint for holder connection)
1 pc.



- № 1.119 Cheek & tongue retractor**
(connected with holder)
1 pc.



- № 1.013 Lip & cheek retractor**
1 pc.

Cotton roll holder is intended for fixation of cotton rolls during dental procedures



Retractors are produced from high-quality stainless steel, provide reliable isolation of operating field



Wooden Wedges


No 1.181
Wooden Wedges
 superthin, short (orange)
 100 pcs.

No 1.182
Wooden Wedges
 thin, short (white)
 100 pcs.

No 1.183
Wooden Wedges
 thin, short (green)
 100 pcs.

No 1.184
Wooden Wedges
 thin, long (yellow)
 100 pcs.

No 1.185
Wooden Wedges
 medium, short (blue)
 100 pcs.

No 1.186
Wooden Wedges
 medium, long (pink)
 100 pcs.

No 1.187
Wooden Wedges
 thick, long (violet)
 100 pcs.

No 1.080
Wooden Wedges.
2 Types
 100 pcs.
 white (thin, short)
 blue (medium, long)

50 pcs.

50 pcs.


No 1.083
Wooden Wedges.
4 Types
 200 pcs.
 white (thin, short)
 yellow (thin, long)
 blue (medium, short)
 pink (medium, long)

50 pcs.

50 pcs.

50 pcs.

50 pcs.


No 1.085
Wooden Wedges.
6 Types
 400 pcs.
 orange (superthin, short)
 white (thin, short)
 yellow (thin, long)
 blue (medium, short)
 pink (medium, long)
 violet (thick, long)

100 pcs.

100 pcs.

50 pcs.

50 pcs.

50 pcs.

50 pcs.

Anatomically shaped



Made of maple wood

Operating positions



Triangle Wooden Wedges



№ 1.281(2) Triangle Wooden Wedges
size 13x1,7x2,7 mm, 100 pcs.

Sizes available upon request:

№ 1.281(1) 16x2,4x2,5 mm, 100 pcs.

№ 1.281(3) 15x 2 x3,4 mm, 100 pcs.

№ 1.281(4) 15x 3 x 3 mm, 100 pcs.

Triangular shaped



Made of maple wood

Transparent Plastic Wedges

- Two thicknesses available
- Heat treatment up to 120°C



№ 1.811 Transparent Wedges. Thin
40 pcs.




№ 1.812 Transparent Wedges. Medium
40 pcs.



№ 1.820 Transparent Wedges. 2 types
80 pcs.
thin wedges 50 pcs.
medium wedges 30 pcs.

Anatomically shaped



Made of transparent soft plastic



Non-Transparent Plastic Wedges

- Two thicknesses available
- Heat treatment up to 120°C



№ 1.841 Non-Transparent Wedges. Thin
40 pcs.




№ 1.842 Non-Transparent Wedges. Medium
40 pcs.




№ 1.840 Non-Transparent Wedges. 2 types
80 pcs.
thin wedges 50 pcs.
medium wedges 30 pcs.

Anatomically shaped



Made of soft plastic



Elastic Wedges

- Special silicone rubber
- Two thicknesses: 2,5 mm (blue) and 2,0 (yellow)
- Heat treatment up to 150°C



№ 1.801

Elastic Wedges

2,5 mm thick
10 pcs.

№ 1.802

Elastic Wedges

2,0 mm thick
10 pcs.

№ 1.808

Elastic Wedges of 2 types

40 pcs.:

№ 1.801 20 pcs.

№ 1.802 20 pcs.

Elastic wedges can be used as fixing wedges and also as a cord upon working with Cofferdam system.



Forceps № 1.099-2 with special stoppers (page 15) are preferable for installation.



Add-On Wedges and Tubes

- Special silicone rubber
- Heat treatment up to 150°C



№ 1.861

Add-On Fixing Wedges

40 pcs.



№ 1.866

Add-On Fixing Wedges

40 pcs.



№ 1.862

Add-On Fixing Tubes

40 pcs.:
wide (transparent) 20 pcs.
narrow (white) 20 pcs.



wedge № 1.861



wedge № 1.866



№ 1.870

NEW

Fixing Kit Delta

- Delta ring № 1.299 - 1 pc.
- add-on fixing wedges № 1.861 - 20 pcs.
- add-on fixing wedges № 1.866 - 20 pcs.

Add-on fixing wedges №№ 1.861, 1.866 and tubes № 1.862 provide perfect matrix-tooth contact along the tooth height.



Tines of fixing rings or springclips are inserted into the holes of the add-on wedges and tubes.



Delta ring №1.299 with double tines is the most suitable for installation of add-on wedges.

When restoring large cavities add-on wedges № 1.866 and tubes № 1.862 are preferable.



Add-on tubes №1.862 provide matrix fixation far from contact point.

Contact & Shape Formers **NEW**



№ 1.943

Contact Former

1 pc.

End of contact former № 1.943



End of contact former has special deepening



№ 1.863

Shape-Former Caps

10 pcs.



№ 1.867

Shape-Former Caps

10 pcs.



№ 1.868

Shape-Former Caps

10 pcs.


№ 1.965

Contact & Shape Former

- contact former № 1.943 - 1 pc.
- handle № 1.100 - 1 pc.
- shape-former caps № 1.863 - 10 pcs.
- shape-former caps № 1.867 - 10 pcs.
- shape-former caps № 1.868 - 10 pcs.



Contact former mode



- 1) Place standard composite into the cavity
- 2) Place the globul of preliminary hardened composite to the contact point area and press it with contact former towards matrix and neighbour tooth
- 3) Perform hardening procedure (the procedure is performed upon globul pressure with contact former), for details see www.torvm.ru

Shape former modes



Transparent Sectional Contoured Matrices



No. 1.922 Narrow Matrices
width 5 mm
30 pcs.



No. 1.923 Wide Matrices
width 7 mm
30 pcs.

Sectional Transparent Contoured Matrices Possible Installation Modes

Installation with transparent plastic wedge (page 21)



Installation with rings (page 16) is also possible

Self-Adhesive Transparent Contoured Matrices

Matrix ends are covered with a special glue layer for side-to-side conjunction.
No matrix retainer required.
Four shapes for molars and four shapes for premolars.

For Premolars



No. 1.490(1) Self-Adhesive Matrices for Premolars
one central ledge
12 pcs.



No. 1.490(2) Self-Adhesive Matrices for Premolars
bilateral
12 pcs.



No. 1.490(3/4) Self-Adhesive Matrices for Premolars.
2 types
30 pcs.:
No. 1.490(3) 6 pcs.
No. 1.490(4) 6 pcs.



For Molars



No. 1.491(1) Self-Adhesive Matrices for Molars
one central ledge
12 pcs.



No. 1.491(2) Self-Adhesive Matrices for Molars
bilateral
12 pcs.



No. 1.491(3/4) Self-Adhesive Matrices for Molars.
2 types
30 pcs.:
No. 1.491(3) 6 pcs.
No. 1.491(4) 6 pcs.



Sectional Transparent Contoured Matrices Operating Position




Installation of self-adhesive matrix

1. Install matrix



2. Remove red protective layer from matrix sides



3. Stick glued matrix sides with each other



Self-Adhesive Matrix Operating Position



Transparent Contoured Matrices

For Premolars



№ 1.090(1) Matrices for Premolars
one central ledge
30 pcs.



№ 1.090(2) Matrices for Premolars
bilateral
30 pcs.




№ 1.090(3) Matrices for Premolars
right ledge
30 pcs.



№ 1.090(4) Matrices for Premolars
left ledge
30 pcs.



№ 1.090(3/4) Matrices for Premolars.
2 types
30 pcs.:
№ 1.090(3) 15 pcs.
№ 1.090(4) 15 pcs.



For Molars



№ 1.091(1) Matrices for Molars
one central ledge
30 pcs.



№ 1.091(2) Matrices for Molars
bilateral
30 pcs.



№ 1.091(3) Matrices for Molars
right ledge
30 pcs.



№ 1.091(4) Matrices for Molars
left ledge
30 pcs.



№ 1.091(3/4) Matrices for Molars.
2 types
30 pcs.:
№ 1.091(3) 15 pcs.
№ 1.091(4) 15 pcs.



№ 1.190

**Matrices for Premolars.
Universal Kit** 60 pcs.:
№ 1.090(1) 15 pcs.
№ 1.090(2) 15 pcs.
№ 1.090(3) 15 pcs.
№ 1.090(4) 15 pcs.



№ 1.191

**Matrices for Molars.
Universal Kit** 60 pcs.:
№ 1.091(1) 15 pcs.
№ 1.091(2) 15 pcs.
№ 1.091(3) 15 pcs.
№ 1.091(4) 15 pcs.



№ 1.092

**Matrices for Premolars and Molars.
Universal Kit** 120 pcs.

	
№1.090(1) 15 pcs. №1.091(1) 15 pcs.	№1.090(2) 15 pcs. №1.091(2) 15 pcs.
	
№1.090(3) 15 pcs. №1.091(3) 15 pcs.	№1.090(4) 15 pcs. №1.091(4) 15 pcs.

Transparent contoured matrices

- Anatomically pre-shaped
- Four shapes of premolar matrices and four shapes of molar matrices
- Provide perfect approximal form and contact

Installation modes

with Toffmire retainer



with Supermat system



with Slot ring № 1.044 (page 12)



Fragments of transparent contoured matrices can be also applied for restoration of approximal surfaces of incisors and canines.



Transparent Contoured Matrices Combined with Clamp

For Premolars



No. 1.094(1)

Matrices for Premolars
one central ledge
10 pcs.



No. 1.094(2)

Matrices for Premolars
bilateral
10 pcs.



No. 1.094(3)

Matrices for Premolars
right ledge
10 pcs.



No. 1.094(4)

Matrices for Premolars
left ledge
10 pcs.



No. 1.094(3/4)

Matrices for Premolars.
2 types
10 pcs.:
No. 1.094(3) 5 pcs.
No. 1.094(4) 5 pcs.



For Molars



No. 1.095(1)

Matrices for Molars
one central ledge
10 pcs.



No. 1.095(2)

Matrices for Molars
bilateral
10 pcs.



No. 1.095(2+)

Matrices for Gross Molars
bilateral
10 pcs.



No. 1.095(3)

Matrices for Molars
right ledge
10 pcs.




No. 1.095(4)

Matrices for Molars
left ledge
10 pcs.



No. 1.095(3/4)

Matrices for Molars.
2 types
10 pcs.:
No. 1.095(3) 5 pcs.
No. 1.095(4) 5 pcs.



- Three dimensional anatomic shape
- The ideal approximal contact
- Tight fitting within a few seconds
- Four shapes of premolar & five shapes of molar matrices

No matrix retainer required

Installation

1. Install matrix onto the tooth




2. Press metal clamp



3. Ready for restoration



Operating Positions



No. 1.194

Matrices for Premolars.
Universal Kit 16 pcs.:

No. 1.094(1) 3 pcs.
No. 1.094(2) 3 pcs.
No. 1.094(3) 5 pcs.
No. 1.094(4) 5 pcs.



No. 1.195

Matrices for Molars.
Universal Kit 16 pcs.:

No. 1.095(1) 3 pcs.
No. 1.095(2) 3 pcs.
No. 1.095(3) 5 pcs.
No. 1.095(4) 5 pcs.



No. 1.096


Matrices for Premolars and Molars.
Universal Kit 32 pcs.

No. 1.095(3) 5 pcs.	No. 1.095(1) 3 pcs.	No. 1.095(2) 3 pcs.	No. 1.095(4) 5 pcs.
for molars			
for premolars			
No. 1.094(3) 5 pcs.	No. 1.094(1) 3 pcs.	No. 1.094(2) 3 pcs.	No. 1.094(4) 5 pcs.

Transparent Crowns

Single Crowns. Adult

Fourteen individual shapes for incisors and canines and fourteen individual shapes for premolars and molars are available



Crowns are available in three sizes - small (S), medium (M), large (L).



11/21 S 4 pcs.	11/21 M 4 pcs.	11/21 L 4 pcs.	12/22 S 4 pcs.	12/22 M 4 pcs.	12/22 L 4 pcs.	13/23 S 4 pcs.
Kit № 1.910						
Crown position						
32/42 M 4 pcs.						32/42 L 4 pcs.
13/23 M 4 pcs.	13/23 L 4 pcs.	31/41 32/42 S 4 pcs.	31/41 M 4 pcs.	31/41 L 4 pcs.	33/43 S 4 pcs.	33/43 M 4 pcs.

№ 1.910

**Anterior
Transparent
Crowns.
Universal Kit.**
64 pcs.




14/24 S 4 pcs.	14/24 M 4 pcs.	16/26 S 4 pcs.	16/26 M 4 pcs.	17/27 S 4 pcs.	17/27 M 4 pcs.	34/44 S 4 pcs.
Kit № 1.911						
Crown position						
15/25 S 4 pcs.						15/25 M 4 pcs.
34/44 M 4 pcs.	35/45 S 4 pcs.	35/45 M 4 pcs.	36/46 S 4 pcs.	36/46 M 4 pcs.	37/47 S 4 pcs.	37/47 M 4 pcs.

№ 1.911

**Posterior
Transparent
Crowns.
Universal Kit.**
64 pcs.

Single Crowns. Deciduous

Eight individual shapes of deciduous crowns for incisors and canines and eight individual shapes for premolars and molars are available



Crowns are available in three sizes - small (S), medium (M), large (L).




51/61 M 4 pcs.	51/61 L 4 pcs.	52/62 S 4 pcs.	52/62 M 4 pcs.	52/62 L 4 pcs.	53/63 S 4 pcs.	53/63 M 4 pcs.
Kit № 1.912						
Crown position						
51/61 S 4 pcs.						54/64 S 4 pcs.
75/85 S 4 pcs.	75/85 M 4 pcs.	74/84 S 4 pcs.	74/84 M 4 pcs.	55/65 S 4 pcs.	55/65 M 4 pcs.	54/64 M 4 pcs.

№ 1.912

**Deciduous
Transparent
Crowns.
Universal Kit.**
64 pcs.






Single Crowns. Conical







Conical transparent crowns for all groups of teeth are available

№ 1.915 Conical Transparent Crowns
64 pcs.
(8 types per 8 pcs.)

Crown build-up



Tooth edge repair



Single Crowns. Refills, 10 pcs. in box

Anterior Crowns



Tooth shape	11/21	12/22	13/23	31/41, 32/42	31/41	32/42	33/43
Catalogue number*	1.9(11 21)S 1.9(11 21)M 1.9(11 21)L	1.9(12 22)S 1.9(12 22)M 1.9(12 22)L	1.9(13 23)S 1.9(13 23)M 1.9(13 23)L	1.9(312 412)S	1.9(31 41)M 1.9(31 41)L	1.9(32 42)M 1.9(32 42)L	1.9(33 43)S 1.9(33 43)M

*Crowns are available in three sizes - small (S), medium (M), large (L).

Posterior Crowns



Tooth shape	14/24	15/25	16/26	17/27	34/44	35/45	36/46	37/47
Catalogue number*	1.9(14 24)S 1.9(14 24)M	1.9(15 25)S 1.9(15 25)M	1.9(16 26)S 1.9(16 26)M	1.9(17 27)S 1.9(17 27)M	1.9(34 44)S 1.9(34 44)M	1.9(35 45)S 1.9(35 45)M	1.9(36 46)S 1.9(36 46)M	1.9(37 47)S 1.9(37 47)M

*Crowns are available in three sizes - small (S), medium (M), large (L).

Deciduous Crowns



Tooth shape	51/61	52/62	53/63	54/64	55/65	74/84	75/85
Catalogue number*	1.9(51 61)S 1.9(51 61)M 1.9(51 61)L	1.9(52 62)S 1.9(52 62)M 1.9(52 62)L	1.9(53 63)S 1.9(53 63)M	1.9(54 64)S 1.9(54 64)M	1.9(55 65)S 1.9(55 65)M	1.9(74 84)S 1.9(74 84)M	1.9(75 85)S 1.9(75 85)M

*Crowns are available in three sizes - small (S), medium (M), large (L).

Crowns on Plates



№ 1.901 Transparent Crowns for
Coronal Part of Incisors
12 pcs. per plate



№ 1.903 Transparent Crowns for
Frontal Surface of Incisors
16 pcs. per plate



№ 1.905 Transparent Crowns for
Approximal Surface of Small & Medium
Incisors & Canines
17 pcs. per plate



№ 1.907 Transparent Crowns for
Approximal Surface of Medium & Large
Incisors & Canines
18 pcs. per plate



№ 1.908 Transparent Crowns for
Molars & Premolars
12 pcs. per plate



№ 1.909 Transparent Crowns for
Coronal Part of Incisors, Canines &
Premolars
12 pcs. per plate

Operating Procedure

Cut off the crown from the plate
(if necessary) and puncture it



Place the crown with filling
material



Put the filled crown on to the
tooth under restoration



Remove the excess filling
material squeezed from the hole



Transparent Crowns Clinical Case



Transparent Strips

Transparent strips are 0.05 mm thick



№ 1.040

Transparent Strips

8 mm wide, 100 mm long, 100 pcs.



№ 1.041

Transparent Strips

10 mm wide, 100 mm long, 100 pcs.



№ 1.240

Transparent Striproll

8 mm wide, 10 m in length
(round box Ø 32 mm)



№ 1.241

Transparent Striproll


10 mm wide, 10 m in length
(round box Ø 32 mm)



№ 1.242

Transparent Striproll

8 mm wide, 10 m in length
(squared box 50x50 mm)



№ 1.243

Transparent Striproll

10 mm wide, 10 m in length
(squared box 50x50 mm)

№ 1.244

Transparent Striproll with cutting plate

8 mm wide, 10 m in length
(squared box 50x50 mm)



№ 1.245

Transparent Striproll with cutting plate

10 mm wide, 10 m in length
(squared box 50x50 mm)



№ 1.440

Transparent Stopstrips

8 mm wide, 100 mm long, 12 pcs.

№ 1.441

Transparent Stopstrips

10 mm wide, 100 mm long, 12 pcs.

Operating Positions



Striprolls of alternative lengths and widths can be supplied upon special request.



Cutting plate in striprolls №№ 1.244 & 1.245 provides operating without scissors



Transparent Cervical Matrix System




№ 1.141

Transparent Cervical Matrix Bands

matrix bands 10x37mm	100 pcs.
cervical former	1 pc.
stopper	1 pc.





Stopstrip offers the possibility to operate with one hand only




The system operates as follows

1. Insert matrix into the cervical former (fig. 1).
2. Cut out matrix in accordance with the tooth shape (fig. 2). Regulate the matrix position according to the tooth size.
3. Fix matrix in the cervical former by the stopper (fig. 3).
4. Perform the tooth restoration (figs. 4 - 6).



Polishing Strips




No. 1.050

Strips for Gross Reduction
gross reduction /
contouring
25 pcs.



No. 1.051

Strips for Contouring
contouring / finishing
25 pcs.



No. 1.052

Strips for Polishing
finishing / polishing
25 pcs.



No. 1.055

Strips. Universal Kit
75 pcs.:
No. 1.050 25 pcs.
No. 1.051 25 pcs.
No. 1.052 25 pcs.

Three types:


- for gross reduction / contouring



- for contouring / finishing



- for finishing / polishing



Use strip holder No. 1.105



for details - see p.7 of the Catalogue

Finishing & Polishing Kits

No. 1.020

Finishing & Polishing Kit



stem polishing discs 48 pcs.:

No. 1.631 12 pcs.

No. 1.632 12 pcs.

No. 1.633 12 pcs.

No. 1.634 12 pcs.

polishing strips 75 pcs.:

No. 1.050 25 pcs.

No. 1.051 25 pcs.

No. 1.052 25 pcs.

mandrel No. 1.111 1 pc.

Use strip holder No. 1.106



for details - see p.7 of the Catalogue

No. 1.021

Finishing & Polishing Kit



polishing discs 48 pcs.:

No. 1.731(14) 12 pcs.

No. 1.732(14) 12 pcs.

No. 1.733(14) 12 pcs.

No. 1.734(14) 12 pcs.

polishing strips 75 pcs.:


No. 1.050 25 pcs.

No. 1.051 25 pcs.

No. 1.052 25 pcs.

mandrel No. 1.121 1 pc.

Stem Polishing Discs



Stem Discs for Gross Reduction (Coarse)

№ 1.611	Ø 8 mm	40 pcs.
№ 1.621	Ø 12 mm	40 pcs.
№ 1.631	Ø 14 mm	40 pcs.




Stem Discs for Contouring (Medium)

№ 1.612	Ø 8 mm	40 pcs.
№ 1.622	Ø 12 mm	40 pcs.
№ 1.632	Ø 14 mm	40 pcs.



Stem Discs for Finishing (Fine)

№ 1.613	Ø 8 mm	40 pcs.
№ 1.623	Ø 12 mm	40 pcs.
№ 1.633	Ø 14 mm	40 pcs.



Stem Discs for Polishing (Superfine)

№ 1.614	Ø 8 mm	40 pcs.
№ 1.624	Ø 12 mm	40 pcs.
№ 1.634	Ø 14 mm	40 pcs.



№ 1.111 Mandrel for Stem Polishing Discs 1 pc.



№ 1.610	Stem Polishing Discs	
discs Ø 8 mm	40 pcs.:	
№ 1.611	10 pcs.	
№ 1.612	10 pcs.	
№ 1.613	10 pcs.	
№ 1.614	10 pcs.	
mandrel № 1.111	1 pc.	



№ 1.620	Stem Polishing Discs	
discs Ø 12 mm	40 pcs.:	
№ 1.621	10 pcs.	
№ 1.622	10 pcs.	
№ 1.623	10 pcs.	
№ 1.624	10 pcs.	
mandrel № 1.111	1 pc.	




№ 1.630	Stem Polishing Discs	
discs Ø 14 mm	40 pcs.:	
№ 1.631	10 pcs.	
№ 1.632	10 pcs.	
№ 1.633	10 pcs.	
№ 1.634	10 pcs.	
mandrel № 1.111	1 pc.	





№ 1.600	Stem Polishing Discs. Universal Kit	
discs Ø 8, 12 & 14 mm	80 pcs.:	
№№ 1.611, 1.621, 1.631	per 5 pcs.	
№№ 1.612, 1.622, 1.632	per 5 pcs.	
№№ 1.613, 1.623, 1.633	per 5 pcs.	
№№ 1.614, 1.624, 1.634	per 5 pcs.	
back abrasive		
4 types 20 pcs. (per 5 pcs. of each type)		
mandrel № 1.111	1 pc.	



Discs with four types of abrasive layer are effective for finishing and polishing composite restorations including fillings located at proximal area.



Discs are available of three diameters: 8, 12 and 14 mm.



Back abrasive discs (coarse, medium, fine, superfine) are available in the down row of kit **№ 1.600**.

Polishing Discs



Discs for Gross Reduction (Coarse)

No 1.731(10)	Ø 10 mm	40 pcs.
No 1.731(12)	Ø 12 mm	40 pcs.
No 1.731(14)	Ø 14 mm	40 pcs.
No 1.731(16)	Ø 16 mm	40 pcs.

Discs for Contouring (Medium)

No 1.732(10)	Ø 10 mm	40 pcs.
No 1.732(12)	Ø 12 mm	40 pcs.
No 1.732(14)	Ø 14 mm	40 pcs.
No 1.732(16)	Ø 16 mm	40 pcs.

Discs for Finishing (Fine)

No 1.733(10)	Ø 10 mm	40 pcs.
No 1.733(12)	Ø 12 mm	40 pcs.
No 1.733(14)	Ø 14 mm	40 pcs.
No 1.733(16)	Ø 16 mm	40 pcs.

Discs for Polishing (Superfine)

No 1.734(10)	Ø 10 mm	40 pcs.
No 1.734(12)	Ø 12 mm	40 pcs.
No 1.734(14)	Ø 14 mm	40 pcs.
No 1.734(16)	Ø 16 mm	40 pcs.

No 1.121 Mandrel for Polishing Discs
1 pc.


No 1.069 Polishing Discs
discs Ø 10 mm 40 pcs.:
No 1.731(10) 10 pcs.
No 1.732(10) 10 pcs.
No 1.733(10) 10 pcs.
No 1.734(10) 10 pcs.
mandrel No 1.121 1 pc.

No 1.070 Polishing Discs
discs Ø 12 mm 40 pcs.:
No 1.731(12) 10 pcs.
No 1.732(12) 10 pcs.
No 1.733(12) 10 pcs.
No 1.734(12) 10 pcs.
mandrel No 1.121 1 pc.

No 1.071 Polishing Discs
discs Ø 14 mm 40 pcs.:
No 1.731(14) 10 pcs.
No 1.732(14) 10 pcs.
No 1.733(14) 10 pcs.
No 1.734(14) 10 pcs.
mandrel No 1.121 1 pc.

No 1.072 Polishing Discs
discs Ø 16 mm 40 pcs.:
No 1.731(16) 10 pcs.
No 1.732(16) 10 pcs.
No 1.733(16) 10 pcs.
No 1.734(16) 10 pcs.
mandrel No 1.121 1 pc.

No 1.075 Polishing Discs. Universal Kit
discs Ø 12 & 14 mm 80 pcs.:
No 1.731(12), 1.731(14) per 10 pcs.
No 1.732(12), 1.732(14) per 10 pcs.
No 1.733(12), 1.733(14) per 10 pcs.
No 1.734(12), 1.734(14) per 10 pcs.
mandrel No 1.121 1 pc.



Discs with four types of abrasive layer are effective for finishing and polishing composite restorations including fillings located at proximal area.

Discs are available of four diameters:



Discs of other diameters including 3/8" (9,5 mm) and 1/2" (12,7 mm) can be supplied upon request

*Catalogue was prepared using materials of
K. Aleinikov (Moscow, Russia),
K. Asimakopulos (Athens, Greece),
V. Bezruchko (Dmitrov, Russia),
A. Volom (Budapest, Hungary),
V. Durov (Tver', Russia),
Yu. Nekipelov (Vologda, Russia),
A. Nikolaev (Smolensk, Russia),
D. Nikolaev (Bryansk, Russia),
A. Salova (St. Petersburg, Russia),
I. Makeev (St. Petersburg, Russia),
A. Sidorov (Moscow, Russia),
V. Tishchenko (Krasnodar, Russia)*

CUSTOM
MADE

**All the products can also
be assorted in a different
than standard way.**

Submitted for publication February, 14, 2019



DENTAL MANUFACTURING COMPANY

Novatorov str. 7A, Moscow, 119421, Russia
phone +7 495 225 54 17, e-mail: torvm77@gmail.com
www.torvm.ru